

Work Order ID 135379

135379

Page 1

Wednesday, August 12, 2015 4:26:06 PM

Item ID: D4148-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Crosstube Lug Plate, Fwd
 Start Date: 8/12/15 Start Qty: 6.00 ***6*** Cust Item ID:
 Required Date: 8/12/15 Req'd Qty: 6.00 ***6*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: AUG 13 2015 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr	
D4148	E	

100 0.00

100

Waterjet

FLOW CNC Waterjet

Memo

Cut as per dwg D4148

Prog Rev: E

Dwg Rev: E

OPEN HOLES TO SIZE AS PER DWG

Deburr as required

110 0.00

110

QC

Quality Control

Memo

QC2- Inspect parts off machine FAI/FAIB

(6) 0215/08/24

(6) 0215/08/24

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																				
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																				
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																				
Large Fab ☐	Composite ☐	Supplier ☐																					
Date : _____	Step #: _____	QTY Effective : _____				MRB (QSI042) Approval																	
Description Work Order Deviation		Disposition				Completed By																	
						Lead hand / Supervisor Approval Verification																	
						QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____																	

Work Order ID 135379***135379***

Page 2

Wednesday, August 12, 2015 4:26:06 PM

Item ID: D4148-1

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Crosstube Lug Plate, Fwd

Start Date: 8/12/15

Start Qty: 6.00

6

Cust Item ID:

Required Date: 8/12/15

Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.00

Quality Control

DAS

38

9-89

AUG 26 2015

150

Identify as per dwg & Stock Location

0.00

150

Packaging

Memo

0.00

Packaging

AUG 26 2015

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.00

Quality Control

AUG 26 2015

20150826

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Picklist Print

Wednesday, August 12, 2015 4:26:05 PM

Page 1

Work Order ID: 135379

135379

Parent Item: D4148-1

D4148-1

Parent Item Name: Crosstube Lug Plate, Fwd

Start Date: 8/12/15

Required Date: 8/12/15

Start Qty: 6.00

Required Qty: 6.00

Comments:

IPP Rev:A 10.06.24 new issue DD verf:EC

IPP Rev:B 10.10.29 as per revC DD verf:EC

IPP REV:C

11.03.02 AS PER DWG REV.D DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S11GA		Purchased		No		100	sf	128.8257	0.3607	2.278105			

M304S11GA

304/316 0.125 Sheet

DC 15/08/29

Location

Loc Qty

Loc Code

MAT020

128.8257

122521

40.034

M128254

55.8

M129545

25.075

M129972

7.9167

2.375

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

DART AEROSPACE LTD		Work Order:	135379
Description: Fwd Crosstube Lug Plate		Part Number:	D4148-1
Inspection Dwg: D4148 Rev: E		Page 1 of 1	


FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.129	+0.005/-0.001	Ø.128	/		V.D.C.	
Ø0.191	+0.005/-0.001	Ø.191	/		V.D.C.	
Ø0.38	+0.006/-0.001	Ø.379	/			
Ø0.257	+0.006/-0.001	Ø.257	/			
Ø0.50	+0.008/-0.001	Ø.499	/			
0.94	+/-0.030	.94	/			
4.47	+/-0.030	4.471	/			
0.750	+/-0.010	.750	/			
8.47	+/-0.030	8.477	/			
8.096	+/-0.010	8.099	/			
5.43	+/-0.030	5.433	/			
5.197	+/-0.010	5.199	/			
4.733	+/-0.010	4.725	/			
0.310	+/-0.010	.311	/			
0.750	+/-0.010	.749	/			
0.375	+/-0.010	.377	/			
1.84	+/-0.030	1.835	/			
0.92	+/-0.030	.921	/			
3.000	+/-0.010	3.005	/			
0.750	+/-0.010	.751	/			
0.625	+/-0.010	.629	/			
1.982	+/-0.010	1.983	/			
0.991	+/-0.010	.993	/			
0.77	+/-0.030	.767	/			
1.54	+/-0.030	1.539	/			
2.47	+/-0.030	2.465	/			
0.82	+/-0.030	.822	/			
3.57	+/-0.030	3.574	/			
1.23	+/-0.030	1.227	/			
0.73	+/-0.030	.73	/			
0.125	+/-0.010	.117	/			
Ø0.252	+0.003/-0.000	Ø.252	/			

DAS

Measured by:	<i>Dr</i>	Audited by:	38	Preliminary Approval:	
Date:	15/08/24	Date:	9-89	Date:	
			AUG 26 2015		

Rev	Date	Change	Revised by	Approved
A	10.08.04	New Issue	KJ	
B	10.10.08	Dwg Rev updated	KJ	
C	10.11.05	Dimensions updated per Dwg Rev C	KJ	
D	11.03.08	Dwg Rev updated	KJ	
E	12.02.01	Dimensions updated per Dwg Rev D	KJ	
F	13.11.26	Dwg Rev updated	KJ	<i>[Signature]</i>



D4148-041 FWD X-TUBE LUG ASSY

STOP COPY
 RETURN TO
 ORIGINATING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO 135379 MLJ
 15-08-13

ITEM	QTY -041	P/N	DESCRIPTION
	X	D4148-041	FWD X-TUBE LUG ASSY
1	1	D2690-6	LANYARD
2	1	D3910-1	X-TUBE LUG
3	1	D4091-1	MOUNTING LUG
4	2	D4148-1	FWD X-TUBE LUG PLATE
5	1	D4148-3	STUD RECEIVER LOWER
6	1	D4148-5	EYEBOLT STUD
7	2	AN3C12A	BOLT
8	3	AN4C13A	BOLT
9	1	MS17984-C413	PIN, QUICK RELEASE
10	8	MS20615-4M18	RIVET, SOLID, PAN-HEAD
11	2	MS21043C3	NUT, SELF-LOCKING
12	3	MS21043C4	NUT, SELF-LOCKING
13	4	NAS1149C0332R	WASHER
14	6	NAS1149C0432R	WASHER

RELEASED
 2013-08-16
 MP

- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4148-041" PER DART QSI 044 6.1
 - 7) WEIGHT: 3.66 lbs
 - 8) ATTACH D2690-6 TO D4148-1 BY LOOPING AROUND A LIGHTENING HOLE FIRST AND THEN SECURE TO MS17984-C413

E	B6-4 Ø0.266 HOLE ADDED FOR CARGO TUBE INSTALLATIONS.	AJS	13.07.22
D	HOLE DIA CHANGED TO 0.252" (D6-3); HOLE DIA CHANGED TO 0.250" (C8-5); REPLACED QTY(2) AN3C12A, MS21043C3 AND QTY(4) NAS1149C0332R WITH QTY(2) AN4C13A, MS21043C4 AND QTY(4) NAS1149C0432R (D3-1, C4-2)	SC	11.02.22
C	REDESIGNED D4148-1/-3 TO ADDRESS COMPATIBILITY ISSUES WITH D350-591 SHORT STEPS	MB	10.10.12
B	REPLACED QTY(3) MS20615-4M18 WITH QTY(2) EACH AN3C12A, MS21043-3 AND QTY(4) NAS1149C0332R WASHER (ZN D3-1, B7-2 & B4-2); MS20615-4M18 WAS MS20615-4M20 (ZN D3-1 & B7-2); Ø0.191 2 PL REPLACES Ø0.129 3 PL (ZN D6-3); Ø0.129 7 PL WAS 10 PL (ZN A7-3); Ø0.191 WAS 0.129 (ZN C8-5). REASON: SEE TR-D350-607-2 REV. B.	MB	10.07.05
A	NEW ISSUE	MB	10.06.18
REV.	DESCRIPTION	BY	DATE
DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D4148	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		FWD X-TUBE LUG ASSY	NTS
DATE	13.07.22	COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



8 7 6 5 4 3 2 1

D

C

B

A




RELEASED
2013-08-16


D4148-041 FWD X-TUBE LUG ASSY

DESIGN	MB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. E
MFG. APPR.	<i>[Signature]</i>	D4148	SHEET 2 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	FWD X-TUBE LUG ASSY	NTS
DATE	13.07.22	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1



RELEASED
2013-08-16



D4148-5 EYEBOLT STUD



- NOTES:**
- 1) MATERIAL: 303/304/316 STAINLESS STEEL BAR PER ASTM A582 OR ASTM A276
REF DART SPEC M304B OR M303B
 - 2) FINISH: NONE
 - 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK ALL SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.27 lbs

DESIGN	MB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D4148	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		FWD X-TUBE LUG ASSY	NTS
DATE	13.07.22	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASE
2013-08-16